


YOUR SINGLE SOURCE OF AUTOMOTIVE FLUID LINES THAT INSTALL QUICKLY AND EASILY, AND ARE DESIGNED TO LAST.



S.U.R.&R. products are designed with the technician in mind. They are easy to use, require no specialty tools and, above all, save TIME and MONEY. They meet or exceed OEM specifications, can be used on domestic and foreign vehicles, and are backed by an unsurpassed warranty to ensure your complete satisfaction.


Our technologies are designed to provide ease of use, superior quality and cost savings for both repair facilities and vehicle owner.





BRAKE

Brake Line Replacement Products



UltraBEND® Brake Line Tubing

BR-EZ316 3/16" Brake Line Replacement Kit


BR-EZ14 1/4" Brake Line Replacement Kit


BB007 Brake Bleeder Removal Tool Kit

AB25 Ultimate Air Brake Repair Kit

"The best brake line replacement products in the market. They outperform everything else that I've tried. Easy to work with and fixed right the first time!"

- STU EICKHOLT CERTIFIED AUTO REPAIR SIOUX CITY, IA





ULTRABEND

Brake Line Tubing

Makes routing and installation simple.







To design the best brake line tubing, we had to bend the rules.

- Easy bending, simple routing
- No bending tools required
- Smooth flares create better fitting seals
- Conforms to SAE specifications, pressure-rated up to 3,000 PSI
- Cuts labor time by more than 50%
- Triple annealed for easy bending
- Rigorously tested highest quality
- Available in 3/16", 1/4", 5/16", & 3/8" sizes



NO KINKING

FEEL The Difference

S.U.R.&R. (USA MADE)



OTHERS (IMPORTED)





BETTER FLARING

SEE The Difference

S.U.R.&R. (USA MADE)



OTHERS (IMPORTED)







CONSISTENT FLARES



WALLS

INCONSISTENT FLARES

A BETTER CHOICE

KNOW The Difference



Ryan Zehner: Zehner's Auto Service; Akron, OH

"I've used S.U.R.&R.'s brake line for over five years and tried others as well. There's no comparison. Whether you're flaring, routing, or bending, S.U.R.&R. is simply the best."

BRAKE LINE REPLACEMENT AND REPAIR KITS

Everything To Replace Brake Lines Quickly And Easily Is Included In These Convenient, All-In-One Brake Line Replacement Part Kits

- Pays for itself in as little as one job
- Replace numerous brake lines with one kit
- Metric and standard fittings included
- Parts conveniently available, wherever and whenever you need them
- Packaged in durable, portable carrying case







BRAKE KITS CONTENTS

- Indicates parts included in BR-EZ316 Brake Line Replacement Kit
 Indicates parts included in BR-EZ14 Brake Line Replacement Kit

Inverted Flare Nuts

IMAGE	PART#	KIT Q	ΓS/ ΓΥ	LINE SIZE	DESCRIPTION	REORDER QTY
	BR105	10		3/16"	3/8" – 24	4/pkg
	BR135	10		3/16"	3/8" – 24 Long	4/pkg
	BR145	10		3/16"	7/16" – 24	4/pkg
•	BR150	6		3/16"	1/2" – 20	4/pkg
•	BR155	6		3/16"	9/16" – 18	4/pkg
	BR157	10		3/16"	3/8" – 24 (7/16" Wrench)	4/pkg
	BR205	4		3/16"	M10 x 1.0 Gold	4/pkg
1	BR210	6		3/16"	M10 x 1.0 Blue	4/pkg
	BR270	6		3/16"	M10 x 1.0 Long	4/pkg
	BR1150		6	1/4"	7/16" – 24	4/pkg
1	BR1200		6	1/4"	7/16" – 24 (9/16" Wrench)	4/pkg
	BR1400		6	1/4"	7/16" – 24 Long	4/pkg
9	BR1600		6	1/4"	9/16" – 18	4/pkg
	BR1650		6	1/4"	1/2" – 20	4/pkg

Bubble Flare Nuts

IMAGE	PART#	KI Q	TS/ TY	LINE SIZE	DESCRIPTION	REORDER QTY
1	BR170	2		3/16"	3/8" – 24	4/pkg
	BR230	6		3/16"	M10 x 1.0 (Euro, Domestic)	4/pkg
	BR235	4		3/16"	M11 x 1.5	4/pkg
	BR240	4		3/16"	M12 x 1.0	4/pkg
	BR245	4		3/16"	M13 x 1.5	4/pkg
	BR250	4		3/16"	M10 x 1.0 (VW, Audi)	4/pkg
•	BR255	6		3/16"	M10 x 1.0 (Ford)	4/pkg
	BR2200		6	1/4"	M12 x 1.0	4/pkg
9100	BR2300			1/4"	M13 x 1.5	4/pkg
	BR2500			1/4"	M14 x 1.5 (GM)	4/pkg

Adapters

IMAGE	PART#	KI.	TS/ TY	LINE SIZE	DESCRIPTION	REORDER QTY
1	BR500	2		3/16"	3/8" – 24 Inverted Female to M10 x 1.0 Inverted Male	4/pkg
emin	BR505	2		3/16"	3/8" – 24 Inverted Female to M10 x 1.0 Bubble Male	4/pkg
	BR510			3/16"	M10 x 1.0 Bubble Female to M11 x 1.5 Bubble Male	4/pkg
	BR550			3/16"	3/8" – 24 Inverted Female to 7/16" – 24 Inverted Male	4/pkg
1	BR555			3/16"	3/8" – 24 Inverted Female to 1/2" – 20 Inverted Male	4/pkg
	BR560			3/16"	3/8" – 24 Inverted Female to 9/16" – 18 Inverted Male	4/pkg

Unions

IMAGE	PART#	KI.	ΓS/ ΓΥ	LINE SIZE	DESCRIPTION	REORDER QTY
	BR405	4		3/16"	3/8" – 24 Inverted Flare	4/pkg
1	BR435	2		3/16"	M10 x 1.0 Inverted Flare	4/pkg
1	BR450	2		3/16"	M10 x 1.0 Bubble Flare	4/pkg
•	BR4100		4	1/4"	7/16" – 24 Inverted Flare	4/pkg

UltraBEND® Tubing

PART#			LINE Size	DESCRIPTION	REORDER QTY
BR-EZ100	25'		3/16"	3/16" UltraBEND Brake Line	25' roll
BR-EZ100-50			3/16"	3/16" UltraBEND Brake Line	50' roll
BR-EZ100-100			3/16"	3/16" UltraBEND Brake Line	100' roll
BR-EZ200		25′	1/4"	1/4" UltraBEND Brake Line	25' roll
BR-EZ200-50			1/4"	1/4" UltraBEND Brake Line	50' roll
BR-EZ200-100			1/4"	1/4" UltraBEND Brake Line	100' roll
BR-EZ300			5/16"	5/16" UltraBEND Tubing	25' roll
BR-EZ400			3/8"	3/8" UltraBEND Tubing	25' roll
	BR-EZ100 BR-EZ100-50 BR-EZ100-100 BR-EZ200 BR-EZ200-50 BR-EZ200-100 BR-EZ300	BR-EZ100 25' BR-EZ100-50 BR-EZ100-100 BR-EZ200 BR-EZ200-50 BR-EZ200-100 BR-EZ200	BR-EZ100 25' BR-EZ100-50 BR-EZ100-100 BR-EZ200 25' BR-EZ200-50 BR-EZ200-100 BR-EZ300	BR-EZ100 25' 3/16" BR-EZ100-50 3/16" BR-EZ100-100 3/16" BR-EZ200 25' 1/4" BR-EZ200-50 1/4" BR-EZ200-100 1/4" BR-EZ300 5/16"	BR-EZ100 25' 3/16" 3/16" UltraBEND Brake Line BR-EZ100-50 3/16" 3/16" UltraBEND Brake Line BR-EZ100-100 3/16" 3/16" UltraBEND Brake Line BR-EZ200 25' 1/4" 1/4" UltraBEND Brake Line BR-EZ200-50 1/4" 1/4" UltraBEND Brake Line BR-EZ200-100 1/4" 1/4" UltraBEND Brake Line BR-EZ300 5/16" 5/16" UltraBEND Tubing

BB007 Ultimate Brake Bleeder Removal Tool Kit

A Completely New And Better Way To Remove Brake Bleeder Screws

Features a one-piece, compact tool that's perfect for tight spaces.

- Reduce labor time
- Avoid unnecessary and difficult drilling, tapping, or heating
- Decrease the risk of damaging the caliper
- Complete brake jobs faster and avoid delays
- Everything you need in one easy-to-use tool kit
- Pays for itself in as little as one brake job
- Works with both aluminum and cast iron calipers
- Replacement bleeder screws included

How does the BB007 work?

Installing the pin into the bleeder screw prevents the walls from collapsing. Applying shock to the bleeder for approximately three to four seconds causes the bleeder to case-harden and loosens the threads. This makes the bleeder screw easy to remove without damaging the caliper.



Kit includes 77 pieces

PART#	DESCRIPTION	KIT QTY	REORDER QTY
BBTOOL	BB007 Tool	1	1/pkg
BB01	M10 x 1.05 Brake Bleeder Screw	4	5/pkg
BB02	3/8" – 24 NF Brake Bleeder Screw	4	5/pkg
BB03	5/16" – 24 NF Brake Bleeder Screw	4	5/pkg
BB04	1/4" – 28 NF Brake Bleeder Screw	4	5/pkg
BB05	M10 x 1.25 Brake Bleeder Screw	4	5/pkg
BB06	M10 x 1.5 Brake Bleeder Screw	4	5/pkg
BB07	M7 x 1.0 Brake Bleeder Screw	4	5/pkg
BB08	7/16" – 24 NS Brake Bleeder Screw	4	5/pkg
BB09	M8 x 1.25 Brake Bleeder Screw	4	5/pkg
BB10	M8 x 1.0 Brake Bleeder Screw	4	5/pkg
BB11	7/16" – 20 NF Brake Bleeder Screw	4	5/pkg
BB12	M10 x 1.0 L Brake Bleeder Screw	4	5/pkg
BB20	Small Dust Cap	10	5/pkg
BB21	Large Dust Cap	10	5/pkg
BBPIN	Brake Bleeder Screw Pins	8	Assortment pkg

Easy To Use

- Insert special-sized pin into the
- Install removal tool into air chisel and shock bleeder from top
- Remove bleeder screw

AB25 Air Brake Repair Kit

Replace air brake fittings quickly & easily with this convenient kit.

- Individual pieces available for reorder
- FMVSS (DOT) and SAE compliant
- Pre-applied thread sealant for easy installation
- Composite body: Saves weight, UV resistant, vibration resistant, excellent chemical resistance

Kit includes 32 pieces

Features push-to-connect composite fittings in 25 popular styles

Indicates quantity included in AB25 Air Brake Repair Kit

AIR BRAKE KIT CONTENTS

IMAGE	PART#	SIZE	DESCRIPTION	KIT QTY	REORDER QTY
	ABM240	1/4" TUBE X 3/8"NPT	Straight Male Connector	1	2
	ABM340	3/8" TUBE X 3/8"NPT	Straight Male Connector	1	2
	ABM320	3/8" TUBE X 1/8"NPT	Straight Male Connector	1	2
	ABM220	1/4" TUBE X 1/8"NPT	Straight Male Connector	1	2
	ABF220	1/4" TUBE X 1/8" NPT	Female	1	2
50	ABE240	1/4" TUBE X 3/8" NPT	Male Elbow	1	2
	AB4230	1/4" TUBE X 1/4" NPT	45° Swivel Male Elbow	1	2
	ABT200	1/4" TUBE	Union Tee	1	2
*	ABE200	1/4" TUBE	Union Elbow	1	2
	ABE220	1/4" TUBE X 1/8" NPT	Male Elbow	2	2
	ABU200	1/4" TUBE	Straight Union	2	2
	ABM330	3/8" TUBE X 1/4"NPT	Straight Male Connector	2	2
	ABP300	3/8" TUBE	Plug	1	2

IMAGE	PART#	SIZE	DESCRIPTION	KIT QTY	REORDER QTY
	ABM230	1/4" TUBE X 1/4"NPT	Straight Male Connector	2	2
	ABM550	5/8" TUBE X 1/2" NPT	Straight Male Connector	1	2
	ABE340	3/8" TUBE X 3/8" NPT	Male Elbow	1	2
\$	ABE320	3/8" TUBE X 1/8" NPT	Male Elbow	1	2
	ABT300	3/8" TUBE	Union Tee	1	2
	AB4340	3/8" TUBE X 3/8" NPT	45° Swivel Male Elbow	1	2
90	ABE550	5/8" TUBE X 1/2" NPT	Male Elbow	1	2
	ABU300	3/8" TUBE	Straight Union	2	2
	ABT330	3/8" TUBE X 1/4" NPT	Male Run Tee	1	2
	ABE230	1/4" TUBE X 1/4" NPT	Male Elbow	2	2
\$ 0	ABE330	3/8" TUBE X 1/4" NPT	Male Elbow	2	2
	ABU400	1/2" TUBE	Straight Union	1	2




Fuel Line Replacement Products



KP1200 Fuel Line Replacement Kit
KP1212 Fuel Line Replacement Kit
KP1500 DELUXE Fuel Line Replacement Kit
CKV5 & CKV7 Fuel Pressure Check Valves
SV516 & SV38 Inline Schrader° Valves
GM64 Universal GM Fuel Level Sensor Contacts

"Using quality products when making repairs is critical to my business. S.U.R.&R. line repair kits and specialty tools, without fail, allow us to make long-lasting repairs affordably and quickly. S.U.R.&R. makes repairing fuel lines a breeze."

- DENNIS COLLARI COLLARI AUTOMOTIVE KINGSTON, MA





LINE REPLACEMENT KITS

With S.U.R.&R., You Have A Proven And Cost Effective Solution For Building And Replacing Damaged Fuel Lines For Practically Any Vehicle



- Save up to 70% vs. OEM fuel lines
- No special insertion tools required; reduces labor time
- Works with domestic & foreign vehicles
- Nylon lines hold up to 200 PSI
- Safe for use with multiple fuel types including gas, ethanol and diesel

KP1200

Fuel Line Replacement Kit (5/16" & 3/8") Kit Includes 52 Pieces Plus 30' of Tubing

KP1500



KP1212

Fuel Line Replacement Kit (1/2" & 12 mm) Kit Includes 34 Pieces Plus 25' of Tubing



Universal Quick Connects



- Thumb release convenience
- No special disconnect tools required
- Works with domestic & foreign vehicles

Easy Installation







Attach nylon line to fitting

Push on

Crimp clamp

Typical installations can be done in under 5 minutes in just 3 simple steps.

FEATURES & BENEFITS

Whether You Want to Repair or Replace, S.U.R.&R. **Fuel Line Kits Make it Simple!**


Reduce Labor Time

- Average connection time: 5 minutes
- Reduce installation time by up to 75%


Save Money

- Typical OEM GM Fuel Line \$85 to \$120
- S.U.R.&R. Fuel Line \$25 to \$35





Simple Replacement



FUEL KITS CONTENTS

- Indicates quantity included in KP1500 DELUXE Fuel Line Replacement Kit
- Indicates quantity included in KP1200 Fuel Line Replacement Kit
- Indicates quantity included in KP1212 Fuel Line Replacement Kit

Universal Quick Connects

IMAGE	PART#	Κľ	TS/O	TY	LINE SIZE	DESCRIPTION	REOR- DER QTY
	KP020	2	3		3/8"	3/8" – 3/8" Straight Push-On	2/pkg
	KP030	2	2		5/16"	3/8" – 5/16" Straight Push-On	2/pkg
D	KP035	2		П	3/8"	5/16" – 3/8" Straight Push-On	2/pkg
	KP040	2	3		5/16"	5/16" – 5/16" Straight Push-On	2/pkg
	K410			2	1/2"	1/2" – 1/2" Straight Push-On	2/pkg
	K435			2	1/2"	12 mm – 1/2" Straight Push-On	2/pkg
	KP045	2			5/16"	1/4" – 5/16" Straight Push-On	2/pkg
	KP120	2		П	3/8"	5/16" – 3/8" 90° Push-On	2/pkg
	KP125	2	1		3/8"	3/8" – 3/8" 90° Push-On	2/pkg
STATE OF THE PERSON.	KP130	2	1		5/16"	3/8" – 5/16" 90° Push-On	2/pkg
- 1	KP135	2	1		5/16"	5/16" – 5/16" 90° Push-On	2/pkg
	K415			2	1/2"	1/2" – 1/2" 90° Push-On	2/pkg
	K440			2	1/2"	12 mm – 1/2" 90° Push-On	2/pkg

Nylon Tubing

IMAGE	PART#	ΚI	TS/Q	ΤΥ	LINE SIZE	DESCRIPTION	REORDER QTY
	K003	25′			1/4"	1/4" Nylon Tubing	25' Roll
	K00350				1/4"	1/4" Nylon Tubing	50' Roll
	K003100				1/4"	1/4" Nylon Tubing	100' Roll
	K005	25'	15'		5/16"	5/16" Nylon Tubing	25' Roll
-	K00550	П	П		5/16"	5/16" Nylon Tubing	50' Roll
	K005100				5/16"	5/16" Nylon Tubing	100' Roll
	K010	25'	15'		3/8"	3/8" Nylon Tubing	25' Roll
	K01050	П			3/8"	3/8" Nylon Tubing	50' Roll
	K010100	П			3/8"	3/8" Nylon Tubing	100' Roll
	K405			25′	1/2"	1/2" Nylon Tubing (Use for 1/2" & 12 mm repairs)	25' Roll

Clamps & Tubing Holders

IMAGE	PART#	KITS/	ΣΤΥ	LINE SIZE	DESCRIPTION	REORDER QTY
	K2978			1/4"	1/4" 360° Seal Clamp	10/pkg
	K2980	33 15		5/16"	5/16" 360° Seal Clamp	10/pkg
	K2982	28 12		3/8"	3/8" 360° Seal Clamp	10/pkg
22	K2984		16	1/2"	1/2" 360° Seal Clamp	10/pkg
1	K6806			9/16"	9/16" 360° Seal Clamp	10/pkg
1 19	K6807			11/16"	11/16" 360° Seal Clamp	10/pkg
\sim	K6808			23/32"	23/32" 360° Seal Clamp	10/pkg
	K6810			3/4"	3/4" 360° Seal Clamp	10/pkg
	K6811			7/8"	7/8" 360° Seal Clamp	10/pkg
	K6812			15/16"	15/16" 360° Seal Clamp	10/pkg
R	TH38	20		3/8"	3/8" Nylon Tubing Holder	20/pkg
<u> </u>	TH516	20		5/16"	5/16" Nylon Tubing Holder tappin Screw	

Tools & Accessories

IMAGE	PART#	KITS/QTY		ΤY	LINE SIZE	DESCRIPTION	REORDER QTY
	14005	3'			1/4", 5/16" & 3/8"	Heat Shield Sleeve (protects line up to 1200° F)	5' Roll
>×	CP01	1	1		1/4", 5/16" & 3/8"	Clamp Pliers	1/pkg
	CP360			1	Up to 1" O.D.	360° Seal Clamp Pliers	1/pkg
-	TC-1	1	1	1	1/4" – 1/2"	Tubing & Hose Cutter	1/pkg

Line Adapters

IMAGE	PART#	KI	rs/o	ΤY	LINE SIZE	DESCRIPTION	REORDER QTY
	K070	2	2	П	5/16"	5/16" GM	2/pkg
40)	K075	2	2		3/8"	3/8" GM	2/pkg
V20 10	K095	2	1		5/16"	5/16" GM Female to Nylon	1/pkg
-	K100	2	1		3/8"	3/8" GM Female to Nylon	1/pkg
	K107	1			5/16"	14 mm Foreign Female to Nylon	1/pkg
7	K127	1			5/16"	14 mm Foreign Angled	2/pkg
	K137	1			5/16"	14 mm Foreign	2/pkg
	K140	2			5/16"	5/16" Rubber Hose to Nylon	2/pkg
	K145	2			3/8"	3/8" Rubber Hose to Nylon	2/pkg
	K150	2			5/16"	5/16" Quick Connect to Nylon	2/pkg
	K155	2			3/8"	3/8" Quick Connect to Nylon	2/pkg
	K420			2	1/2"	1/2" Quick Connect to Nylon	2/pkg
	K445			2	1/2"	12 mm Quick Connect to Nylon	2/pkg
-	K153				3/8"	3/8" Quick Connect to Quick Connect	2/pkg
	K160	1			5/16"	1/4" – 5/16" Quick Connect to Nylon	2/pkg
	K165	1			3/8" & 5/16"	3/8" – 5/16" Nylon to Nylon Reducer	2/pkg
	K167				5/16" & 1/4"	5/16" – 1/4" Nylon to Nylon Reducer	2/pkg
	K170	1			5/16"	5/16" GM Male to Rubber Hose	2/pkg
	K175	1			3/8"	3/8" GM Male to Rubber Hose	2/pkg
	K270	2			5/16"	5/16" GM Short	2/pkg
	K275	2			3/8"	3/8" GM Short	2/pkg
-	K305				5/16"	9/16" – 5/16" Male Spring Lock to Nylon	1/pkg
mil.	K315				5/16"	7/16" – 5/16" Male Spring Lock to Nylon	1/pkg
	K310				5/16"	9/16" – 5/16" Female Spring Lock to Nylon	1/pkg
	K320				5/16"	7/16" – 5/16" Female Spring Lock to Nylon	1/pkg
0	K325				5/16"	12 mm – 5/16" Banjo to Nylon	1/pkg
	K335				5/16"	14 mm – 5/16" Banjo to Nylon	1/pkg
	K330				5/16"	12 mm – 5/16" Banjo Bolt to Nylon	1/pkg
\supset	38180	1			3/8"	3/8" 180° GM Fuel Filter	1/pkg
1	3890	2			3/8"	3/8" 90° Elbow	2/pkg
	51690	2			5/16"	5/16" 90° Elbow	2/pkg

Unions

IMAGE	PART#	Κľ	KITS/QTY		LINE SIZE	DESCRIPTION	REORDER QTY					
	K050	2	1		5/16"	5/16" Nylon to Steel Compression	2/pkg					
	K055	2			5/16"	5/16" Nylon to Nylon Compression	2/pkg					
	K060	2	1		3/8"	3/8" Nylon to Steel Compression	2/pkg					
	K065				3/8"	3/8" Nylon to Nylon Compression	2/pkg					
	K250	2			1/4"	1/4" Nylon to Steel Compression	2/pkg					
	K255	2			1/4"	1/4" Nylon to Nylon Compression	2/pkg					
	K430			2	1/2"	1/2" Nylon to Steel Compression	2/pkg					
	K057	2	2		5/16"	5/16" Nylon to Nylon Push-On	2/pkg					
	K067	2	2		3/8"	3/8" Nylon to Nylon Push-On	2/pkg					
	K425			2	1/2"	1/2" Nylon to Nylon Push-On	2/pkg					

CKV5 & CKV7 Fuel Pressure Check Valves

Stop Replacing Fuel Pumps Unnecessarily



The quick, inexpensive, and smart solution for hard-start problems involving the loss of fuel pressure.

SYMPTOMS:

Vehicle does not start normally. Key must be advanced multiple times to start. Engine runs properly once running. Symptom reoccurs after vehicle sits for extended period of time.

PROBLEM:

Electric fuel pumps have internal check valves which often fail. In turn, residual fuel pressure drops and starting problems occur.

SOLUTION:

Installing a new, inline check valve solves starting problems quickly and easily.

PART#	LINE SIZE	DESCRIPTION	QTY.
CKV5	5/16"	Check Valve	1
CKV7	3/8"	Check Valve	1
CKV-DISP	5/16" & 3/8"	Check Valve Countertop Display – includes CKV7 (4) and CKV5 (2)	1

Install inline.

Repair without dropping the tank.



Not for use with returnless systems

SV516 & SV38 Inline Schrader® Valves

Provides Easy Access For Connecting Fuel System Testing And Cleaning Equipment

- Fits virtually any vehicle
- Provides a permanent valve location that is easy to access
- Includes installation fittings for nylon, steel, and rubber fuel lines
- Available in both 5/16" (Part # SV516) and 3/8" (Part # SV38) line sizes









Nylon Fuel Line with Inline Schrader Valve


Fuel Pressure Tester Connected to Inline Schrader Valve

Fuel Injection Cleaner Connected to Inline Schrader Valve

GM64 Universal GM Fuel Level Sensor Contacts


Makes Gauge Repairs Quick And Inexpensive

- Save \$100s by replacing ONLY the Fuel Level Sensor Contacts versus the entire module
- Fits most GM Vehicles (1997-2002)






A/C Line Repair Products



AC1387 DELUXE A/C Line Replacement Kit
AC40 A/C Compression Union Kit
AC50M METRIC A/C Compression Union Kit
AC80 A/C Block Off Kit
AC90M METRIC A/C Block Off Kit
AC128 A/C Line Repair & Inline Filter Kit

"S.U.R.&R. A/C repair technology works great, helps me compete for business PLUS saves our customers hundreds on repairs as compared to replacing entire lines."

- MR. PAUL MCGILLIS MCGILLIS AUTOMOTIVE WEST BRIDGEWATER. MA





Make Instant Repairs To A/C Lines On Hundreds Of Vehicles

Safe up to 600 PSI Conforms to SAE J2064 Specifications



Assemble By Hand

Repair lines in minutes. It's as simple as 1, 2, 3!







Crimp with clamp pliers



Tighten compression union onto aluminum line

Fast, Long-Lasting A/C Repairs for High and Low Pressure Lines

SECTIONS/FAILED COLLARS



PROBLEM: Damaged A/C hose leaking at connection

PROBLEM SOLVED: With hose to compression union adapter

CRACKS/PINHOLES



PROBLEM: Damaged A/C aluminum line

PROBLEM SOLVED: With compression union

REAR BLOCK OFFS



PROBLEM: Failed rear A/C component or line leak


PROBLEM SOLVED: With compression block off

AC1387

DELUXE A/C Line Repair Kit

Kit Includes 42 Pieces Plus 20' Hose

Includes 3/8", 1/2", 5/8", and 3/4" sizes (5/16" also available, sold separately)



Features Double Seal Technology

A/C COMPRESSION UNIONS



AC40

A/C Compression Union Kit

Includes 3/8", 1/2", 5/8" and 3/4" sizes (5/16" also available, sold separately)



AC50M

METRIC A/C Compression Union Kit

Includes 8, 10, 12, 15, 16 and 19 mm sizes

A/C INLINE SERVICE PORTS



The simple, affordable solution for replacing damaged or hard-to-reach ports.

LOW SIDE: 1/2" and 5/8" HIGH SIDE: 3/8" and 1/2"

A/C BLOCK OFFS



AC80

A/C Block Off Kit

Includes 3/8", 1/2", 5/8" and 3/4" sizes (5/16" also available, sold separately)



Convenient fittings for making connections involving different line sizes.



AC90M





A/C KITS CONTENTS

■ Indicates quantity included in AC1387 DELUXE A/C Line Repair Kit

- Indicates quantity included in AC40 Compression Union Kit
- Indicates quantity included in AC50M METRIC Compression Union Kit
- Indicates quantity included in AC80 Compression Block Off Kit
- Indicates quantity included in AC90M METRIC Compression Block Off Kit

Compression Block Offs

IMAGE	PART#	ΚIΊ	rs/c	ΣΤΥ		ALUMINUM LINE SIZE (OD)	DESCRIPTION	REORDER QTY
	AC516CB					5/16"	5/16" A/C Compression Block Off	1/pkg
	AC38CB			1		3/8"	3/8" A/C Compression Block Off	1/pkg
	AC12CB			1		1/2"	1/2" A/C Compression Block Off	1/pkg
	AC58CB			1		5/8"	5/8" A/C Compression Block Off	1/pkg
	AC34CB			1		3/4"	3/4" A/C Compression Block Off	1/pkg
						METRIC		
	AC8MCB				1	8 mm	8 mm A/C Compression Block Off	1/pkg
	AC10MCB				1	10 mm	10 mm A/C Compression Block Off	1/pkg
-	AC12MCB				1	12 mm	12 mm A/C Compression Block Off	1/pkg
	AC15MCB				1	15 mm	15 mm A/C Compression Block Off	1/pkg
	AC16MCB				1	16 mm	16 mm A/C Compression Block Off	1/pkg
	AC19MCB	Г			1	19 mm	19 mm A/C Compression Block Off	1/pkg

Compression Unions

IMAGE	PART#		KITS/QTY				ALUMINUM LINE SIZE (OD)	DESCRIPTION	REORDER QTY
	AC516						5/16"	5/16" A/C Compression Union	1/pkg
	AC38	1	1				3/8"	3/8" A/C Compression Union	1/pkg
848	AC12	1	1				1/2"	1/2" A/C Compression Union	1/pkg
	AC58	1	1				5/8"	5/8" A/C Compression Union	1/pkg
	AC34	1	1				3/4"	3/4" A/C Compression Union	1/pkg
							METRIC		
	AC8M			1			8 mm	8 mm A/C Compression Union	1/pkg
	AC10M			1	П		10 mm	10 mm A/C Compression Union	1/pkg
-	AC12M			1			12 mm	12 mm A/C Compression Union	1/pkg
2000	AC15M			1			15 mm	15 mm A/C Compression Union	1/pkg
	AC16M			1			16 mm	16 mm A/C Compression Union	1/pkg
	AC19M			1			19 mm	19 mm A/C Compression Union	1/pkg

Hose To Compression Union Adapters

IMAGE	PART#		KIT	S/Q	ΤY	ALUMINUM LINE SIZE (OD)	DESCRIPTION	REORDER QTY
	AC16516		П		T	5/16"	#6 Hose To 5/16" Compression Union	1/pkg
	AC1638	2	П	П	Т	3/8"	#6 Hose To 3/8" Compression Union	1/pkg
80-	AC1812	2				1/2"	#8 Hose To 1/2" Compression Union	1/pkg
	AC11058	2			T	5/8"	#10 Hose To 5/8" Compression Union	1/pkg
	AC11234	2				3/4"	#12 Hose To 3/4" Compression Union	1/pkg
						METRIC		
	AC168M					8 mm	#6 Hose to 8 mm Compression Union	1/pkg
	AC1610M		П	П	Т	10 mm	#6 Hose to 10 mm Compression Union	1/pkg
	AC1812M					12 mm	#8 Hose to 12 mm Compression Union	1/pkg
3-1	AC11015M					15 mm	#10 Hose to 15 mm Compression Union	1/pkg
	AC11016M				Т	16 mm	#10 Hose to 16 mm Compression Union	1/pkg
	AC11219M					19 mm	#12 Hose to 19 mm Compression Union	1/pkg
	AC26516	Г	П		T	5/16"	#6 Hose to 90° 5/16" Compression Union	1/pkg
_	AC2638	1			I	3/8"	#6 Hose to 90° 3/8" Compression Union	1/pkg
1	AC2812	1				1/2"	#8 Hose to 90° 1/2" Compression Union	1/pkg
w	AC21058	1				5/8"	#10 Hose to 90° 5/8" Compression Union	1/pkg
	AC21234	1				3/4"	#12 Hose to 90° 3/4" Compression Union	1/pkg

Line Reducers

IMAGE	PART#	KITS/QTY				ALUMINUM LINE SIZE (OD)	DESCRIPTION	REORDER QTY
	AC1612					1/2"	#6 Hose to 1/2" Compression Union	1/pkg
2	AC1858					5/8"	#8 Hose to 5/8" Compression Union	1/pkg
	AC11034					3/4"	#10 Hose to 3/4" Compression Union	1/pkg

Inline Service Ports

IMAGE	PART#	Kľ	TS/Q	TY	ALUMINUM LINE SIZE (OD)	DESCRIPTION	REORDER QTY
820	AC412L				1/2"	1/2" Service Port Valve – Low Side	1/pkg
512	AC458L				5/8"	5/8" Service Port Valve – Low Side	1/pkg
مقد	AC438H		П		3/8"	3/8" Service Port Valve – High Side	1/pkg
	AC412H		П	I	1/2"	1/2" Service Port Valve – High Side	1/pkg

Hose, Clamps, Splicers & Tools

Hose

IMAGE	PART#		KIT	S/C	ìΤΥ	RUBBER HOSE SIZE	DESCRIPTION	REORDER QTY
	AC6H	5'				#6	#6 A/C Hose – 5/16", 8 mm (printed on hose)	10' roll
	AC6H25					#6	#6 A/C Hose – 5/16", 8 mm (printed on hose)	25' roll
	AC8H	5′				#8	#8 A/C Hose – 13/32", 10 mm (printed on hose)	10' roll
	AC8H25					#8	#8 A/C Hose – 13/32", 10 mm (printed on hose)	25' roll
	AC10H	5′				#10	#10 AC/Hose – 1/2", 13 mm (printed on hose)	10' roll
•	AC10H25					#10	#10 AC/Hose – 1/2", 13 mm (printed on hose)	25' roll
	AC12H	5′				#12	#12 A/C Hose – 5/8", 16 mm (printed on hose)	10' roll
	AC12H25					#12	#12 A/C Hose – 5/8", 16 mm (printed on hose)	25' roll

Clamps Sets

IMAGE	PART#		ΚП	S/C	lΤΥ	RUBBER HOSE SIZE	DESCRIPTION	REORDER QTY
	AC6806	5				#6	#6 Clamps Set – Blue Tab	5/pkg
	AC6808	5				#8	#8 Clamps Set – Yellow Tab	5/pkg
	AC6810	5				#10	#10 Clamps Set – Green Tab	5/pkg
	AC6812	5				#12	#12 Clamps Set – Red Tab	5/pkg

Hose Splicers

IMAGE	PART#		ΚI	rs/c	lΤΥ	RUBBER HOSE SIZE	DESCRIPTION	REORDER QTY
	AC370606	1				#6	#6 Hose to #6 Hose In Line Splicer	1/pkg
	AC370808	1				#8	#8 Hose to #8 Hose In Line Splicer	1/pkg
	AC371010	1				#10	#10 Hose to #10 Hose In Line Splicer	1/pkg
	AC371212	1				#12	#12 Hose to #12 Hose In Line Splicer	1/pkg

Tools

IMAGE	PART#		KITS/QTY			LINE SIZE	DESCRIPTION	REORDER QTY
Ň	CP360	1				Up to 1" O.D.	360° Seal Clamp Pliers	1/pkg
—	TC35	1				Up to 1 1/4" O.D.	Tube & Hose Cutter	1/pkg

AC128


A/C Inline Filter & Orifice Tube Installation Kit

When Replacing Failed A/C Compressors, OEM Manufacturers Recommend Installation of an Inline Filter to Prevent Debris from Damaging the System



Unique, dual purpose, universal kit that allows you to install an A/C inline filter or orifice tube into the system

- The AC128 helps protect costly components from being damaged by trapping the debris produced by failed A/C compressors
- Capable of housing any size orifice tube installation clips included
- Install an orifice tube when experiencing symptoms such as frost coming out of the vents or compressor running constantly
- Fit multiple size lines including 5/16", 3/8" and 1/2" – simply cut out desired line section (up to 2") and install AC128
- Works on cars, trucks and SUVs (domestic and foreign)
- Reduce labor avoid difficult work removing and installing lines




Helps reduce the potential for comebacks on A/C compressor replacements




COOLANT

Heater Line Repair Products



"Much better than replacing an entire line. Compression connections work as advertised. S.U.R.&R. line repair kits are all top-shelf."

- MIKE STAPLES
SAINT GEORGE STREET GARAGE
DUXBURY, MA





Heater Line Repair Kit

Kit Includes 12 Pieces Plus 10' Hose

Use with 1/2", 13 mm, 5/8" and 16 mm (3/4" also available, sold separately)

- Repair damaged heater lines including pinholes, cracks, kinks and more
- Make connections easily by hand; no specialty tools required
- OEM style hose easy to route
- On-the-car repairs made simple

Perfect For Vans, SUVs And Other Vehicles With Failed Rear Heater Lines And Systems



Easy Installation



Place clamp onto hose, push adapter into hose



Crimp with clamp pliers



Tighten compression union onto aluminum line

Tackle Different Repairs



Rear heater core block off repair



Line section repair



Pinhole and crack repair

COOLANT KIT CONTENTS

Indicates quantity included in HL427 Heater Line Repair Kit

Compression Unions

IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
	HL12	1	1/2" (13 mm)	1/2" Heater Compression Union	1/pkg
848	HL58	1	5/8" (16 mm)	5/8" Heater Compression Union	1/pkg
	HL34		3/4"	3/4" Heater Compression Union	1/pkg

Hose To Compression Union Adapters – Straight (Includes Dual Clamp)

IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
	HL11212	2	1/2" (13 mm)	1/2" Hose to 1/2" Compression Union	1/pkg
(S)	HL11258	2	5/8" (16 mm)	1/2" Hose to 5/8" Compression Union	1/pkg
	HL11234		3/4"	1/2" Hose to 3/4" Compression Union	1/pkg

HOSE (UNIVERSAL HOSE – Use with all S.U.R.&R. Heater Adapters)

IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
0	HL12H	1	Universal	1/2" Heater Hose 10' Roll	10' roll
U	HL12H25		Universal	1/2" Heater Hose 25' Roll	25' roll

Dual Clamp

IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
60	HL34C	4	3/4"	3/4" Heater Hose Dual Clamp Use with 1/2" Heater Hose	5/pkg

Hose Spring

I	IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
	1	SP34	1	3/4"	3/4" Heater Hose Spring Use with 1/2" Heater Hose	1/pkg


Clamp Pliers

IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
V	CP360	1	Up to 1" O.D.	360° Seal Clamp Pliers	1/pkg




TRANSMISSION

DELUXE Transmission Oil Cooler Line Repair Kit



"I've saved hours on jobs by making my own transmission lines. Easier to route and install plus helps me avoid delays waiting on parts."

– DUSTIN JANETZKE CAPITAL CAR CARE LANSING, MI





TR555

DELUXE Transmission Oil Cooler Line Repair Kit Kit Includes 79 Pieces Plus 15' Hose Use With 5/16" & 3/8" Lines

- Use to replace or make repairs on both 5/16" & 3/8" lines
- Immediate part availability, easier to install than OE lines
- Hundreds of domestic and foreign applications
- Perfect for damaged lines including rust, cracks, pinholes, and more
- Triple-walled rubber hose safe and durable; pressure rated up to 250 PSI/temperatures up to 350° F

OEM Transmission Line

S.U.R.&R. Transmission Line

Replace Or Repair Transmission / Oil Cooler Lines For Virtually Any Vehicle Within Minutes

Make A New Line Or Repair A Leak In As Little As 5 Minutes



PROBLEM: Leaking transmission line connector

PROBLEM SOLVED: With quick connect and new transmission hose

Easy Assembly



Push on rubber hose to fitting



Crimp clamp

TRANSMISSION KIT CONTENTS

■ Indicates quantity included in TR555 DELUXE Transmission Oil Cooler Repair Kit

Rubber Hose

IMAGE	PART#	KITS/ QTY	LINE Size	DESCRIPTION	REORDER QTY
0	TR516H	15'	5/16" 3/8"	5/16" Transmission Rubber Hose – Universal (use for both 5/16" and 3/8" repairs)	25' roll

Line Connectors

IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
-	TR750	1	3/8"	Dodge/Jeep Transmission Line	1/pkg
	TR755	1	3/8"	Ford Transmission Line	1/pkg
	TR760	1	3/8"	GM Transmission Line	1/pkg
	TR765	1	3/8"	GM Transmission Line	1/pkg
	TR770	1	3/8"	GM Transmission Line	1/pkg

Line Nuts

IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
	TR605	4	3/8"	3/8" Inverted Flare Nut 5/8" – 18 (use with TR985 & TR990)	4/pkg
	TR610	4	3/8"	3/8" Bubble Flare Nut M16 x 1.5 (use with TR985 & TR990)	4/pkg
	TR615	4	3/8"	3/8" Bubble Flare Nut M18 x 1.5 (use with TR985 & TR990)	4/pkg
	TR620	2	3/8"	3/8" Inverted Flare Nut (5/8"– 18 w/dog ear) (use with TR985 & TR990)	2/pkg

Universal Quick Connect


IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
	TR720	1	3/8"	3/8" Straight Push Quick Connect to Rubber	2/pkg

Line Adapters


	_				
IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
300-	TR405	1	5/16"	5/16" Steel Compression to 5/16" Rubber	2/pkg
-	TR410	1	3/8"	3/8" Steel Compression to 5/16" Rubber	2/pkg
-	TR935	2	5/16"	5/16" Inverted Flare with 5/8" – 18 Nut to Rubber	2/pkg
	TR940	2	5/16"	5/16" GM O-Ring with 1/2" – 20 Nut to Rubber	2/pkg
-	TR945	2	5/16"	5/16" Inverted Flare with 1/2" – 20 Nut to Rubber	2/pkg
	TR950	1	5/16"	5/16" Rubber to Rubber Connector	2/pkg
-	TR955	1	5/16"	5/16" Quick Connect to Rubber	2/pkg
	TR960	1	3/8"	3/8" to 5/16" Rubber to Rubber Connector	2/pkg
-	TR965	1	3/8"	3/8" Quick Connect to Rubber	2/pkg
\	TR970	1	3/8"	3/8" GM 45° Male to Rubber	2/pkg
V	TR975	1	3/8"	3/8" GM 90° Male to Rubber	2/pkg
-	TR980	2	3/8"	3/8" GM Straight Male to Rubber	2/pkg
	TR985	2	3/8"	3/8" Inverted Flare to Rubber (use with TR605, TR610, TR615 & TR620)	2/pkg
-	TR990	2	3/8"	3/8" GM O-Ring to Rubber (use with TR605, TR610, TR615 & TR620)	2/pkg

Tools & Accessories

IMAGE	PART#	KITS/ QTY	LINE SIZE	DESCRIPTION	REORDER QTY
\sim	CL12	10	1/2"	1/2" Hanger Clamp (includes screw) (use with TR516H 5/16" Rubber Hose)	10/pkg
	CP360	1	Up to 1" O.D.	360° Seal Clamp Pliers	1/pkg
D **0	TC35	1	Up to 1-1/4" O.D.	Tube and Hose Cutter	1/pkg
0	K6806	21	9/16"	9/16" Seal Clamp (use with TR516H 5/16" Rubber Hose)	10/pkg
ک	TR775	5	3/8"	3/8" Transmission Connector Clip	5/pkg




Power Steering Line Repair Products



"I've used S.U.R.&R. line repair kits for many years with much success. The new Power Steering Line Repair Kit is the latest addition to what has proven to be a great product line."

- MR. SCOTT O'NEIL O'NEIL LUBE AKRON, OH



POWER STEERING

LINE REPAIR AND REPLACE KITS

Repair And Replace High And Low Pressure Power Steering Lines



Repair Lines (PS1000 & PS2000)

Repair Leaking Hoses In Minutes



COMMON PROBLEM: Leaking hose at collar PROBLEM SOLVED: With new Power Steering Hose


Easy Installation




- Use to make 5/16" and 3/8" line repairs
- On-the-car repairs made easy
- Universal can be used to repair hundreds of different line types
- Use for power steering lines, clutch, industrial and heavy duty applications



Replace Lines (PS2000)





PS1000

Power Steering Hose Repair Kit Kit Includes Five Hoses (6", 12", 18", 24" & 30") and Two 5/16" Ferrules Use With 3/8" or 5/16" Lines

 95% coverage (domestic and foreign)

> ULTRABEND Brake Line Tubing

 Great alternative to replacing entire line

PS2000

Power Steering Hose Replacement Kit

Kit Includes Five Hoses (6", 12", 18", 24" & 30") and Two Coils of UltraBEND®, and most popular threaded fittings

Use With 3/8" or 5/16" Lines

- 85% Coverage (Domestic and Foreign)
- Working Pressure 1,500 PSI, Burst Pressure 6,000 PSI
- Temperature Range (-40° F to +250° F, -40° C to +121° C)
- Exceeds SAE J188
 Type 1 Specifications



POWER STEERING KIT CONTENTS

- Indicates quantity included in PS1000 Power Steering Hose Repair Kit
- Indicates quantity included in PS2000 Power Steering Hose Replacement Kit

Power Steering Hose Replacement Fittings

					DEODDED
IMAGE	PART#	KITS	S/QTY	SIZE / DESCRIPTION	REORDER QTY
	PS2105	2		5/16" Male Tube Nut M14 x 1.5	2/pkg
	PS2120	2		5/16" Male Tube Nut 1/2" x 20	2/pkg
	PS2125	2		3/8" Male Tube Nut 5/8" x 18	2/pkg
0-111-	PS2110	2		3/8" Male Tube Nut M16 x 1.5	2/pkg
	PS2115	2		3/8" Male Tube Nut M18 x 1.5	2/pkg
	PS2205	4		5/16" Female Tube Nut 1/2" x 20	2/pkg
	PS2210	4		3/8" Female Tube Nut 9/16" x 18	2/pkg
1	PS2215	2		3/8" Female Tube Nut 5/8" x 18	2/pkg

IMAGE	PART#	KITS	/QTY	SIZE / DESCRIPTION	REORDER
	PS2220	2		3/8" Female Tube Nut M16 x 1.5	QTY 2/pkg
	PS2305	1		M14 Banjo 1/2" x 20 Thread	1/pkg
•••	PS2310	1		M14 Banjo 1/2" x 20L Thread	1/pkg
0	PS2315	1		M16 Banjo 9/16" x 18L Thread	1/pkg
	PS2405	1		1/2" x 20 - 1/2" x 20 Bump Tube Adapter	1/pkg
	PS2410	1		M16 x 1.5 - 9/16" x 18 Bump Tube Adapter	1/pkg
	PS2415	1		M18 x 1.5 - 9/16" x 18 Bump Tube Adapter	1/pkg

Power Steering Hose

IMAGE	PART#	KITS	JOTY	SIZE	DESCRIPTION	REORDER QTY
les marced	PS16	1	1	3/8" or 5/16" *	3/8" x 6" Power Steering Hose	1/pkg
	P\$112	1	1	3/8" or 5/16" *	3/8" x 12" Power Steering Hose	1/pkg
\bigvee	PS118	1	1	3/8" or 5/16" *	3/8" x 18" Power Steering Hose	1/pkg
	PS124	1	1	3/8" or 5/16" *	3/8" x 24" Power Steering Hose	1/pkg
	PS130	1	1	3/8" or 5/16"*	3/8" x 30" Power Steering Hose	1/pkg

^{*}Lines include 3/8" ferrules which can be replaced with interchangeable 5/16" ferrules (sold separately)

UltraBEND® Tubing

IMAGE	PART#	KITS	S/QTY	SIZE	DESCRIPTION	REORDER QTY
	BR-EZ300	10'		5/16"	5/16" UltraBEND Tubing	25'
	BR-EZ400	10′		3/8"	3/8" UltraBEND Tubing	25'

Power Steering Hose Ferrules

IMAGE	PART#	KITS/QTY		SIZE / DESCRIPTION	REORDER QTY
	PS810	2	2	5/16" Compression Union Ferrule	2

Cutting

Cutting Doesn't Get Any Easier Than This

Bending

Make Sharp Bends Without Kinking



Perfect Flare Every Time

Clamping Make Secure **Connections In Seconds**

S.U.R.&R. Specialty Tools:

Check out our extensive line of specialty tools which make everyday tasks simpler for the technician.



Professional-Grade Lines Instantly

Line Prep

Prepare Tube For Flaring In Seconds

Testing

Accurately Diagnose Fuel Delivery Problems



Stop The Mess

Prevents Messy Fluid Leaks During Service



PFT409 Pistol Grip Flaring Tool

HFT50 HYDRA-Assist Flaring Tool

FT351 High Speed Super Duty Flaring Tool

FT351M Flaring Tool Bench Mount

BTB6P Brake Pro Bundle

BTB5K Brake Tool Assortment

TC60 Automatic/Ratcheting Tubing Cutter

TC40 Ratchet-Action Tubing Cutter

TP14316 Tubing Pliers

SPECIALTY TOOLS

Making Your Job Easier



TP3153 Multi-Size Tubing Bender

TS14316 Tubing Straightener & Bending Pliers

FLS330 Fluid Line Stopper Clamps

RM69 Brake Tubing Reamer

CP90 Heavy Duty Ratcheting Seal Clamp Pliers

CP360 360° Seal Clamp Pliers

TC35 & TC-1 Tubing & Hose Cutters

FA14/FA100 Flex Air Blow Gun Kit

UT15 UltraTOUGH Tape

TFS203 Temp Fuel Supply / Fuel Injection Cleaner

TAS3 Temporary Air Supply

FIG203/ FIG201 Fuel Injection Cleaner Kit

S-T00L Intake Cleaning Adapter Kit

FIG903 Intake System Cleaner Canister

FPT22/ FPT10 DELUXE Fuel Injection Pressure
Tester Kit

FPT290 DELUXE Fuel Pressure Tester Kit

TG16 Thread Gauge Kit

BRC7 Heavy Duty Copper Washer Assortment

HC102 Positive Seal Hose Clamp Kit

EGR312 EGR Port Cleaning Kit

"The specialty tools work, they save time, and are a great value."

– MR. KRIS HAUGEBAK JOHNSTON AUTOSTORES SPENCER, IA



PFT409

Pistol Grip Flaring Tool

Compact Pistol Grip Design For Ease Of Use. Perfect for Flaring in Tight Spaces.

- Line sizes 3/16", 1/4", 5/16", 3/8" and 4.75 mm
- Dual handles for optimal control and positioning
- Use on or off car (including use within vise)
- Heavy duty hydraulic ram with over 6,000 PSI crimping pressure
- Use with S.U.R.&R. UltraBEND®. steel and coated tubing
- Includes 10 punches and 4 dies (5/16" & 3/8" dies grooved for extra grip when used with steel and coated tubing)





Two-piece design allows for swivel action



Pins ensure accurate alignment of dies



Magnetic yoke holds dies securely in place

Lightweight and Compact

for Easy Operation



Detent ball provides quick punch change

Create Virtually Any Flare Instantly

(Applies to PFT409 and HFT 50)



SAE single (Bubble)



(Double)



DIN single (Mushroom)

HFT50 **HYDRA-Assist Flaring Tool**

Fastest, Easiest Flaring Tool For Under The Car

- Line sizes 3/16", 1/4" and 4.75 mm
- Hydraulic Assist T-Handle Ram
- Quick Chuck for Fast Punch Changeover
- S-Lock for Quick Assembly
- Dual Handle Placement for Ease of Use
- Use with **S.U.R.&R. UltraBEND**®. Stainless Steel and Steel Tubing

PART#	DESCRIPTION
HFT205	Die: 3/16"/4.75 mm - 45° & DIN
HFT210	Die: 1/4" – 45° & DIN
HFT305	Punch: 3/16"/4.75 mm – 45° Op. 1
HFT310	Punch: 1/4" – 45° Op. 1
HFT315	Punch: 3/16"/4.75 mm – DIN



Quick Chuck for Fast Punch Changeover



S-Lock for Quick **Assembly**

PART#	DESCRIPTION
HFT320	Punch: 1/4" – DIN
HFT325	Punch: 3/16"/4.75 mm & 1/4" - 45° Op. 2
HFT605	HFT50 Allen Screw
HFT610	HFT50 S-Hook
HFT615	HFT50 Main Body

PART#	DESCRIPTION
HFT620	HFT50 Handle
HFT625	Hydra-Assist T-Handle Ram Assembly

HFT630 **HFT50 Plastic Carry Case**

All items included in kit, and are available for individual order.

PFT409 CONTENTS & ACCESSORIES .

■ Indicates quantity included in PFT409

PFT409 Dies

IMAGE	PART#	DESCRIPTION	QTY	REORDER QTY
•	PFT205	3/16"/4.75 mm – 45° & DIN	1	1
Q	PFT210	1/4" – 45° & DIN		1
	PFT215	5/16" – 45° + DIN		1
	PFT220	3/8" – 45°		1
	PFT245	3/16"/4.75 mm – 37°		1
Q	PFT250	1/4" – 37°		1
	PFT255	5/16" – 37°		1
0	PFT260	3/8" – 37°		1

PFT409 Punches

IMAGE	PART#	DESCRIPTION	QTY	REORDER QTY
	PFT305	3/16"/4.75 mm – 45° Op. 1	1	1
	PFT310	1/4"/6 mm – 45° Op. 1		1
10	PFT315	5/16"/8 mm – 45° Op. 1	1	1
	PFT320	3/8"/10 mm – 45° Op. 1		1
	PFT325	3/16"/4.75 mm – 37° Op. 2		1
	PFT330	3/16"/4.75 mm – DIN	1	1
	PFT335	1/4" – DIN		1
	PFT340	5/16"/8 mm DIN		1
	PFT350	3/16"/4.75 mm, 1/4"/6 mm – 45° Op. 2	1	1
	PFT355	5/16"/8 mm, 3/8"/10 mm – 45° Op. 2	1	1
9	PFT383	OP0	1	1

PFT409 Accessories

IMAGE	PART#	DESCRIPTION	QTY	REORDER QTY
	PFT610	PFT409 Yoke Set Screw Handle		1
D= [3]	PFT615	PFT409 Yoke		1
	PFT620	PFT409 Yoke Handle		1
7	PFT625	PFT409 Hydraulic Handle	1	1
	PFT630	PFT409 Case		1

FT351

High Speed Super Duty Flaring Tool

Produce OEM Quality Flares In Seconds

- Additional tooling available for 1/2" & 37° flares
- Creates 45° bubble and double flares including DIN
- Cam lever operation provides speed and efficiency
- Use with S.U.R.&R. UltraBEND®, stainless steel and poly-coated lines
- Includes 4 die sets and 7 punches
- Sizes 3/16", 1/4", 5/16", 3/8" and 4.75 mm



every time

Create Virtually Any Flare Instantly



SAE single (Bubble)




SAE (Double)



DIN single (Mushroom)



"Dial-A-Size" turret



High-speed cam lever



A perfect flare every time

FT351 Kit Contents

IMAGE	PART#	DESCRIPTION	QTY	REORDER QTY
	FT205	Die: 3/16"/4.75 mm – 45°		1/pkg
	FT210	Die: 1/4" – 45°	1	1/pkg
	FT215	Die: 5/16" – 45°		1/pkg
	FT220	Die: 3/8" – 45°		1/pkg
	FT225	Die: 1/2" – 45°		1/pkg
	FT230	Die: 6 mm – 45°		1/pkg
	FT235	Die: 8 mm – 45°		1/pkg
33400	FT240	Die: 10 mm – 45°		1/pkg
34	FT245	Die: 3/16"/4.75 mm – 37°		1/pkg
	FT250	Die: 1/4" - 37°		1/pkg
	FT255	Die: 5/16" - 37°		1/pkg
	FT260	Die: 3/8" – 37°		1/pkg
	FT265	Die: 1/2" – 37°		1/pkg
	FT285	Die: 3/16" – DIN	1	1/pkg
	FT290	Die: 1/4" – DIN		1/pkg

All items are available for individual order.

IMAGE	PART#	DESCRIPTION	QTY	REORDER QTY
	FT405	Punch: 3/16"/4.75 mm – 37° & 45° Op. 1	1	1/pkg
	FT410	Punch: 1/4"/6 mm – 37° & 45° Op. 1		1/pkg
_	FT415	Punch: 5/16"/8 mm – 37° & 45° Op. 1		1/pkg
	FT420	Punch: 3/8"/10 mm – 37° & 45° Op. 1	1	1/pkg
•	FT425	Punch: 1/2" – 37° & 45° Op. 1		1/pkg
	FT430	Punch: 3/16" – DIN	1	1/pkg
	FT435	Punch: 1/4" – DIN		1/pkg
	FT483	Punch: Tube Stop		1/pkg
	FT505	Punch: 3/16"/4.75 mm, 1/4"/6 mm – 45° Op. 2		1/pkg
	FT510	Punch: 5/16"/8 mm, 3/8"/10 mm - 45° Op. 2		1/pkg
	FT515	Punch: 1/2" – 45° Op. 2		1/pkg 1/pkg 1/pkg 1/pkg 1/pkg 1/pkg 1/pkg
	FT520	Punch: 3/16"/4.75 mm, 1/4"/6 mm – 37° Op. 2		1/pkg
-	FT525	Punch: 5/16"/8 mm, 3/8"/10 mm - 37° Op. 2		1/pkg
	FT530	Punch: 1/2" – 37° Op. 2		1/pkg
	FT710	Blank Turret		1/pkg

FT351M

Flaring Tool Bench Mount

Produce OEM Quality Flares In Seconds

- Permanent mounting for ease of operation
- Low profile, compact design keeps bench free and clear

Use with S.U.R.&R. Part# FT351 **High Speed Super Duty Flaring Tool** (sold separately)



BTB6P

Brake Pro Bundle

Save \$ with Bundle

Complete Professional Brake Line Tools For Easier, Faster And More Profitable Repairs

- Contains everything you need to accurately cut, prep, flare, bend and straighten brake line tubing
- Includes fluid line stopper to help maintain a clean repair environment
- Installer preferred technology





HFT50 **HYDRA-Assist Flaring Tool**



RM69 Brake Tubing Reamer



FLS330 Fluid Line Stopper Clamps



TC60 Automatic Ratcheting Tubing Cutter



TS14316 **Tubing Straightener & Bending Pliers**



TP14316 **Tubing Pliers**

BTB5K

Brake Tool Assortment

Save \$ with Bundle



 Contains everything you need to accurately cut, prep, bend and straighten brake line tubing

- Includes fluid line stopper to help maintain a clean repair environment
- Installer preferred technology



TC60 Automatic Ratcheting Tubing Cutter



RM69 Brake Tubing Reamer



TS14316 Tubing Straightener & Bending Pliers



FLS330 Fluid Line Stopper Clamps



TP14316 Tubing Pliers

TC60

Automatic/Ratcheting Tubing Cutter

Innovative Design That's Great For Brake, Fuel, A/C, Transmission & More

- Easily cuts 3/16" 5/8" tubing
- Spring-loaded automatic cutter
- Ratcheting action handle
- Removable cutting head
- Replacement blades available (PN# TC60B)



Removable cutting head great for tight spaces



Ratcheting action handle perfect for hard-to-reach places

Tighten and Spring-Loaded Cutter Does the Rest

TC40

Ratchet-Action Tubing Cutter

Miniature Design That's Great For Brake, Fuel, A/C, Transmission & More

- Easily cuts 1/8" 1/2" tubing
- Great for cutting in tight spaces
- Ratcheting action handle
- Replacement blades available (PN# TC40B)



Spring-loaded automatic cutter: touch blade to tubing, turn dial 8 times, cut tubing



Ratcheting action handle perfect for hard-to-reach places



Mini Head Design for Cutting in Tight Spaces

Convenient fold-out reamer deburrs tubes after cutting.

TP14316

Tubing Pliers

The Most Convenient Tubing Pliers Available

Fits 3/16" and 1/4" Tubing

- Makes sharp bends without kinking lines
- Wide grip handle helps for maximum leverage
- Specially designed to grip and hold tubing
- Works great on S.U.R.&R.
 UltraBEND® alloy, steel, stainless steel, and polycoated materials


Larger jaw design for the perfect bend without kinking

Backed by a Lifetime Warranty





Allows a tight 90° bend on the tubing right at the nut



TP3153Multi-Size Tubing Bender

Unique Design Eliminates Need For Multiple Tools Or Adapters

Innovative design, great for bending lines: brake, fuel, transmission & more

- Use with SAE 3/16", 1/4", 5/16" & 3/8" tubing (OD) (also metric 6 mm, 8 mm & 10 mm)
- Works with S.U.R.&R. UltraBEND®, copper and aluminum tubing
- Wide grip, rubber sleeve handle minimizes slippage and reduces hand fatigue





SLIDE-TO-SIZE selector for ease of use





Create smooth bends in seconds for a professional look

TS14316

Tubing Straightener & Bending Pliers

Make Your Own Professional-Grade Lines Instantly

Works with 3/16" and 1/4" Tubing

- Straighten or bend lines on or off the car
- Wide grip handle for maximum leverage
- Durable, heavy-duty construction for long lasting performance

Backed by a Lifetime Warranty





Straighten/Bend tubing for a clean and professional look

FLS330 Fluid Line Stopper Clamps

Prevents Messy Fluid Leaks During Service

Four Piece Clamp Set

- Universal design use to plug lines 3/16" to 1/2" including banjo fittings
- Prevents messy fluid leaks and contamination during service
- Perfect for line repairs including brake, transmission, A/C, fuel and more



Spring loaded stopper installs in seconds



Use on banjo fittings up to 1/2"



RM69 Brake Tubing Reamer

Prepare Tubing For Flaring In Seconds

- Deburr 3/16", 1/4", 5/16", & 3/8" tubing
- Advanced six-flute design produces smoother, cleaner tubing
- Eliminates additional labor due to bad flares
- Reduces wear on flaring tool punches



After cutting, tubing needs deburring



Deburred tubing is smooth, ready for flaring



CP90

Heavy Duty Ratcheting Seal Clamp Pliers

Make Secure Connections In Seconds

- Use with 1/4" to 5" clamp sizes
- Ratcheting action provides maximum leverage for making secure high-pressure connections
- Numerous applications including fuel lines,
 A/C lines, transmission lines and axle boots
- More effective than conventional clamp pliers



Ratcheting action for maximum clamping power



Works with single or double ear 360° seal clamps

Great For Large Sized Clamps

CP360 360° **S**eal Clamp Pliers

Durable Pliers Designed For Use With Primary Seal Clamp Applications Including Fuel, A/C And Coolant Lines

- Use with 1/4" to 1" clamp sizes
- Makes consistent, uniform seals which prevent damage to hose
- Durable construction including protective handle grip



Thin head for crimping in tight spaces

TC35 & TC-1 Tubing & Hose Cutters

Excellent For Use In Shop Or Home

TC35

- Cuts up to 1-1/4" O.D.
- Razor-sharp blade
- Includes two-sided blade ideal for applications involving extended use
- Replacement blades available (PN# TC35B)



TC-1


- Cuts up to 1/2" O.D.
- Perfect for cutting nylon tubing without collapsing walls
- Compact design great for carrying in pocket and working within tight spaces



FA14/FA100 Flex Air Blow Gun Kit

Customizable Extension For Hard-To-Reach Places

FA14 Includes: Flex Air Blow Gun (FA100), UltraBEND® Tubing (BR-EZ200 - 1/4"), and Tubing Connectors (BR1150 - Qty 4 - 1/4" nuts)





FA100 Flex Air Blow Gun









Tubing Connectors



BR-EZ200 **UltraBEND®** Tubing

Easy 1, 2, 3 Installation!



Cut tubing to

desired length



Flare tubing SAE (double) 7/16" -24 thread



Create and Connect Extension Using: 3/16" BR145 & BR-EZ100 (sold separately) OR 1/4" BR1150 & BR-EZ200 (included in FA14 kit)

UT15 **UltraTOUGH Tape**

Ultra TOUGH Tap

For Repairing Leaky Hoses, **Tubing, Wiring Harnesses** and Connections

- Quick fix underhood repairs
- Airtight, no adhesive, waterproof seal
- Stretches 300% insulates 8,000 V
- -65° F to 500° F / -56° C to 260° C
- Tear resistant up to 85 PSI
- Resists UV, salt, oil and chemicals
- 10' (3.05 m) roll





Used on auto, truck, RV, off road vehicles and more







TFS203

Temporary Fuel Supply / Fuel Injection Cleaner

see page 57 for complete list of adapters)

Drive Fuel-Starved Vehicles And Perform Fuel Injection Cleaning Service Outside Of The Shop With This Convenient 2-In-1 System




- and fuel passages
- Cleans more thoroughly than aerosol methods
- S.U.R.&R.-exclusive quick connectors work with virtually any vehicle
- Perform fuel injection cleaning services outside of shop
- Holds up to 18 ounces of canister petroleum based cleaning solution

2 Temporary Fuel Supply

- Provides approximately 5-15 minutes of run time
- S.U.R.&R.-exclusive quick connectors work with virtually any vehicle, connect directly to fuel rail
- Can be used with gas or diesel
- One person can move vehicle in just a few minutes

SIMPLE TO CONNECT AND OPERATE



TAS3

Temporary Air Supply

Connect To Cleaner Canister For A Temporary Fuel Supply Usable On **Fuel-Starved Vehicles**

- Connects to numerous types of injection cleaning canisters using universal connector
- Adjustable valve controls pressure up to 100 PSI maximum
- Small size for ease of placement within engine compartment
- Also available as part of TFS203 Temporary Fuel Supply/Fuel Injection Cleaner Canister





TAS3 works with canisters from numerous manufacturers. Canister NOT included with TAS3 (sold separately).

FIC203

Fuel Injection Cleaner Kit

Advanced Fuel System Cleaning Technology

- · Powerful cleaning of fuel injectors, intake valves, and fuel passages
- Cleans more thoroughly than aerosol methods
- Easy to connect and use with shop air
- S.U.R.&R.-exclusive, Universal Quick Connectors
- Holds up to 18 oz. of canister cleaning solution
- Use with gasoline and diesel fuel engines
- Transparent adapter lines allow for visual inspection of fuel



Fuel Injection Cleaner Canister

(line adapters not included)

S-TOOL

Intake Cleaning Adapter Kit

Improve Fuel Performance By Removing Carbon **Build-Up**

• Nozzle end produces fine mist spraying action for thorough cleaning of the air intake

Use with S.U.R.&R. FIC201, FIC203 or **TFS203 products** (each sold separately) and canisters from other manufacturers

list of adapters)







FIC903

Intake System Cleaner Canister

Improves Engine Performance And Decreases Harmful Emissions

- Cleans gum, varnish, and carbon deposits from Air Intake Systems, Combustion Chambers, EGR Valves, Intake Valves and Oxygen Sensors
- Helps increase gas mileage
- Easy to use: fill with Air Intake Cleaning solution and connect into vacuum line
- Liquid filled gauge for accurate vacuum reading and monitoring chemical flow
- More thorough cleaning than other methods

Complete Cleaning In Just 10 Minutes





Before







Harmful deposits are burned away



FPT22 & FPT10

Fuel Injection Pressure Tester Kits

(see page 57 for complete list of

Accurately Diagnose Fuel Delivery Problems

Advanced kit tests faulty fuel pumps, pressure regulators, fuel lines, check valves, and fuel filters.

• Make connections quickly and easily using S.U.R.&R.-exclusive Quick Connect adapters with thumb release, push button convenience

• Extra-long, 9' hose included for ease of use inside vehicle cabin

• Unique gauge cover features suction cup back for attaching tester to window during drivability testing

• Relief valve included for fuel flow testing

• View aerated fuel through transparent line adapters

• Most user-friendly tester on the market



Pressure Tester Kit (line adapters not included)

FPT290

DELUXE Fuel Pressure Tester Adapter Kit

see page 57 for complete list of adapters)

Turn Your Basic Fuel Pressure Tester Into A Master Kit

Universal adapter set connects fuel pressure testers and injection cleaner canisters to virtually any vehicle.

- 21-piece kit fits over 90% of domestic and foreign vehicles
- 6' extension hose allows pressure gauge to be read inside vehicle during drivability testing
- Specially designed inline T-Connector makes it simple to connect and troubleshoot fuel pressure problems
- Save hundreds on adapter lines

 Most user-friendly adapter set on the market



Click it.

Advanced Quick Connect Technology



To connect, insert line end into quick connector



Push adapter over end until "click" sound occurs



To disconnect, simply push button down with thumb and remove quick connector

HOSE/ADAPTER LIST for TFS203, FIG203, FPT290 and FPT22

- Indicates quantity included in TFS203 & FIC203
- Indicates quantity included in FPT290
- Indicates quantity included in FPT22

IMAGE	PART#	DESCRIPTION		KITS/QT	Υ
	720	Fuel Injection Canister Line Adapter			1
	721	Fuel Injection Canister Line Adapter	1	1	1
	722	Fuel Injection Canister Line Adapter			1
1	FPT05	Shut-Off Valve Assembly		1	1
	FSA10	5/16" Quick Connect Line Adapter (Female)	1	1	1
	FSA15	5/16" Quick Connect Line Adapter (Male)		1	1
	FSA20	3/8" Quick Connect Line Adapter (Female)		1	1
	FSA22	3' Extension Hose		1	
	FSA25	3/8" Quick Connect Line Adapter (Male)		1	1
	FSA30	3/8" Quick Connect Line Adapter (90° Female)	1	1	1
	FSA32	6' Extension Hose			1
	FSA35	Schrader® Valve Line Adapter (Large and Small)	1	1	1
	FSA40	3/8" GM Line Adapter (Female)		1	1
	FSA45	3/8" GM Line Adapter (Male)		1	1
	FSA46	3/8" GM Line Adapter (90° Male)	1	1	1
	FSA50	9/16" Spring Lock Line Adapter (Female)		1	1
*	FSA55	9/16" Spring Lock Line Adapter (Male)	1	1	1
	FSA60	14 mm Line Adapter (Female)		1	1
	FSA65	14 mm Line Adapter (Male)	1	1	1
C	FSA70	12 mm Banjo Line Adapter (Female)	1	1	1
Ont	FSA71	14 mm Banjo Line Adapter (Female)			
	FSA75	12 mm Banjo Line Adapter (Male)		1	1

TG16 Thread Gauge Kit

Thread Gauges for Measuring Male or Female Threads

- Pre-hardened 4140 steel construction
- 16 thread sizes, metric and imperial
- Male & female threads
- Great companion to BR-EZ14 and BR-EZ316
- Great for use by parts retailers and repair professionals

Identify Correct Thread

KIT INCLUDES:

PART#	DESCRIPTION	QTY	REORDER QTY	PART#
TG91M	M9 x 1	1	1/pkg	TG1212
TG101M	M10x1	1	1/pkg	TG1415
TG121M	M12x1	1	1/pkg	TG382
TG10125M	M10 x 1.25	1	1/pkg	TG7162
TG11125M	M11 x 1.25	1	1/pkg	TG9161
TG3820	3/8 – 20 BSF	1	1/pkg	TG9162
TG1015M	M10 x 1.5	1	1/pkg	TG122
TG1215M	M12 x 1.5	1	1/pkg	TG7162

PART#	DESCRIPTION	QTY	REORDER QTY
TG12125M	M12 x 1.25	1	1/pkg
TG1415M	M14 x 1.5	1	1/pkg
TG3824	3/8 – 24 UNF	1	1/pkg
TG71620	7/16 – 20 UNF	1	1/pkg
TG91618	9/16 – 18 UNF	1	1/pkg
TG91620	9/16 – 20 UNF	1	1/pkg
TG1220	1/2 – 20	1	1/pkg
TG71624	7/16 – 24 UNF	1	1/pkg

BRC7

Heavy Duty Copper Washer Assortment Kit

The Only Way To Seal High Pressure Hydraulic Braking Systems

Heavy duty washers for maximum sealing power

- Make durable, tight connections to banjo bolts
- Reduced outer dimension for less interference
- Annealed washers crush properly, make secure seals

PART#	DESCRIPTION	KIT QTY	REORDER QTY
BRC127	3/8" I.D. Copper Washer	20	10/pkg
BRC137	7/16" I.D. Copper Washer	20	10/pkg
BRC147	1/2" I.D. Copper Washer	20	10/pkg
BRC157	9/16" I.D. Copper Washer	10	10/pkg
BRC227	10 mm I.D. Copper Washer	20	10/pkg
BRC247	12 mm I.D. Copper Washer	20	10/pkg
BRC277	15 mm I.D. Copper Washer	10	10/pkg
BRC287	16 mm I.D. Copper Washer	10	10/pkg

All items included in kit, and are available for individual order.



Use On

or Off Vehicle



Extra-thick washers provide more durable sealing power

HC102

Positive Seal Hose Clamp Kit

Superior 360° Sealing For High-To-Low Pressure Applications Including: Fuel, A/C, Transmission And Coolant Lines

- Includes 100 positive seal clamps with permanent, no leak seal
- Features durable CP360 Seal Clamp Pliers with protective grip handle
- Consistent, uniform seals prevent damage to hose

PART#	DESCRIPTION	QTY	REORDER QTY
K2978	1/4" 360° Seal Clamp	10	10/pkg
K2980	5/16" 360° Seal Clamp	10	10/pkg
K2982	3/8" 360° Seal Clamp	10	10/pkg
K2984	1/2" 360° Seal Clamp	10	10/pkg
K6806	9/16" 360° Seal Clamp	10	10/pkg
K6807	11/16" 360° Seal Clamp	10	10/pkg



PART#	DESCRIPTION	QTY	REORDER QTY
K6808	23/32" 360° Seal Clamp	10	10/pkg
K6810	3/4" 360° Seal Clamp	10	10/pkg
K6811	7/8" 360° Seal Clamp	10	10/pkg
K6812	15/16" 360° Seal Clamp	10	10/pkg
CP360	360° Seal Clamp Pliers	1	1/pkg

EGR312

EGR Port Cleaning Kit

The Most Convenient Kit Available For **Cleaning Out Clogged EGR Ports**

- Flexible, spring steel drill bit designed to easily route through EGR ports
- No need to remove entire intake manifold
- Bits available in 9", 12", & 21" lengths
- More effective than other methods including use of speedometer cables and coat hangers
- Solves emission problems like high NOx levels and improves engine performance
- Also available in 1/4" for diesel applications

PART#	DESCRIPTION	QTY
EGR9	3/16" Flexible EGR Drill Bit – 9"	_
EGR12	3/16" Flexible EGR Drill Bit – 12"	1
EGR21	3/16" Flexible EGR Drill Bit – 21"	_
EGR1412	1/4" Flexible EGR Drill Bit – 12"	_

Bold items included in EGR312 Kit / Italic items are available to order.

Kit Includes:

- 12" flexible EGR drill bit
- Two-sided steel pick
- Steel wire brush
- Transparent storage tube




Heat-treated tip rips through carbon deposits





Attach flexible bit to drill, insert tip into point



Use steel brush or pick to clean remaining deposits

Simple. Thorough. Effective.





Learn more about our extensive line of innovative products at www.surrauto.com.



S.U.R.&R. products are designed to provide ease of use, superior quality and cost savings for both the repair facility and vehicle owner.

Each S.U.R.&R. product is backed by a skilled team of professionals committed to your total satisfaction.

To receive support, please call us at: 1-800-390-3996.



Your single source of automotive fluid lines that install quickly and easily, and are designed to last.

BRAKE

Everything needed to replace brake lines quickly and easily is included in these convenient, all-in-one brake line replacement part kits.

FUEL

With S.U.R.&R., you have a proven and cost effective solution for building and replacing damaged fuel lines for practically any vehicle.

AIR CONDITIONING

Make instant repairs to A/C lines on hundreds of vehicles. Repair damaged rubber and aluminum lines including line sections, pinholes, cracks, and more.

POWER STEERING

Repair high and low pressure power steering lines.

COOLANT

Perfect for vans, SUVs and other vehicles with failed rear heater lines and systems.

TRANSMISSION

Replace or repair transmission or cooler lines for virtually any vehicle within minutes.

SPECIALTY TOOLS

S.U.R.&R. provides an extensive line of specialty tools which make everyday tasks simpler for the technician.

View all specialty tools at surrauto.com/specialty-tools

1-800-390-3996

For new products, videos and latest news from S.U.R.&R. go to www.surrauto.com
Poster Makes Ordering Parts Easy – See Page 60 for Details